


Model	GA55FHD02
Brand	Driger
Description	55 Inch Full HD Freestanding Android Digital Signage

Product Drawings & Dimensions



Display Specifications

Display Specifications	Aspect Ratio	16:09
	Colour	16.7M
	Contrast Ratio	1200:01:00
	Brightness	300cd/m ²
	Wide Angle	89/89/89/89 Full View
	Resolution	1920*1080
	Respond Time	6ms
	Lifespan	≥60000hrs
	Working Environment	-20°C to 50°C
	Frequency	≤85W
	Weight	67kg
	Display Dimensions	1207*678mm
	Machine Dimensions	1900*791*45mm
	Connectivity	Standard Dual USB
Suppoted Media Format	MPG、MPG-1、MPG-2、MPG-4、AVI、MP4、DIV、TS、TRP、MKV、WMV、RM、RMVB	

Motherboard Specifications		
CPU	CPU A7 4 Core 1.3GHz	
Memory	2G	
Built-in Memory	EMMC 8GB	
Video Coding	Max. Support 2160P	
Operating System	Android 7.1.1	
Play Mode	Support Looping, Scheduling, Interstitial & all kind of mode.	
Network	Ethernet、WiFi/Bluetooth 4.0、Wireless peripheral expansion.	
Video Format	WMV、AVI、FLV、MKV、RM/RMVB、VOB、MOV、TS、MP4 etc	
Audio Format	MP3、WMA、APE、FLAC	
Picture Formet	BMP、JPEG、PNG、GIF	
USB2.0 Interface	2 x USB Standard 、 1 x USB-HOST(MicroUSB)、 2 x USB (4Pin)	
Serial Port	3 x Serial Port Input (4pin)	
Ethernet	1 x 10M/100M	
SD Card	Support SD Card	
LVD Output	Can activate 60Hz 6Bit/8Bit LED Display	
HDMI Output	1 x HDMI2.0, Supoort 4K@60Hz Output	
AV Output	Support left and right channel output(2x10WSpeakers)	
Real Time Clock (RTC)	Support	
Timer Switch	Support	
System Upgrade	Support USB Upgrade	
Brightness	350cd/m	
Storage Interface	SD/TF Card	Data Storage, Max 32G
	USB*2	HOST Input,Support Data Storage,Data Input ,USB Keyboard & Mouse.
Ethernet Input	RJ45	Support 100M Wired Network
HDMI Input	Standard Input	Support 4K@60Hz Output ,Max. 2160P
AUX	Standard Input	3.5mm Standard Input
COM	Standard Input	N/A
3G	PCI-E Standard Input.	ADHOC/Optional
Warranty	2 Years On-site Warranty	
Others	Come with Castor Wheel & Customade Logo	

